CANQUA

LIGHTING REVOLUTION.

INDEX




CANQUA

INDEX









Bush Highlighters

Wardrobe Strips

LED Strips

101




Harvey




ADD A TOUCH OF LUXURY TO YOUR SPACE WITH OUR ZUDO LIGHT RANGE

Our Zudo Lights are designed to be seamlessly integrated into your space, providing a clutter-free appearance that complements modern and luxury interiors. With innovative heat dissipation and module design you enjoy easy installation with a gentle and pleasant light.










Integrated anchoring structural spring.

HIGH EFFICIENCY HEAT DISSIPATION



The flow fin cooling structure can dissiapte heat quickly. Prolong the service life of lamps.



THREE REFLECTIVE CUP SHAPES FOR YOUR LIGHTING NEEDS



STRAIGHT-NECK CUP



LARGE CURVED CUP



SMALL CURVED CUP

PRODUCT MODELS OVERVIEW:



SIZE	CUT-OUT SIZE	POWER
43×H65MM	35MM	5W
43×H86MM	35MM	7W
63×H76MM	55MM	9W
63×H94MM	55MM	12W
82×H86MM	75MM	12W
82×H101MM	75MM	15W



SIZE	CUT-OUT SIZE	POWER
63×H79MM	55MM	9W
63×H97MM	55MM	12W
82×H83MM	75MM	12W
82×H99MM	75MM	15W

PRODUCT MODELS OVERVIEW:



SIZE	CUT-OUT SIZE	POWER
61×H86MM	55MM	9W
61×H1O4MM	55MM	12W
74×H90MM	75MM	12W
74×H105MM	75MM	15W




SIZE	CUT-OUT SIZE	POWER
60×H65MM	35MM	5W
60×H94MM	35MM	7W
75×H79MM	55MM	9W
75×H97MM	55MM	12W
100×H88MM	75MM	12W
100×H103MM	75MM	15W



INNOVATIVE HORN LIGHT BODY MODELLING



ANNULAR TURBINE COOLING STRUCTURE





STEEL FASTENING SPRING CLASP

PRODUCT OVERVIEW:







SIZE	CUT-OUT SIZE	POWER
61×H62MM	55MM	7W
81×H78MM	75MM	12W
101×H90MM	95MM	18W



ILLUMINATE YOUR SPACE WITH PRECISION AND BRILLIANCE.

Our Spectra Light is uniquely designed with a reflector and highpowered COB LED chip. Short heatsink suitable for all kinds of installations. The die casting aluminium profile provides excellent heat dissipation. Isolated driver solution both in dimmable and nondimmable versions achieves stable working performance.

PRODUCT OVERVIEW:







White



Matte Black

SIZE	CUT-OUT SIZE	POWER	BEAM ANGLE
63×H78MM	55MM	9W	36°
73×H85MM	65MM	12W	36°
83×H88MM	75MM	15W	36°
103×H106MM	95MM	15W	36°

PRODUCT DETAILS:



REFLECTIVE CUP

Uniform Luminous, High Transmittance.



RADIATOR HOUSING

Die Casting Aluminium allows more efficient heat dissipation and safer in connecting ground wires.



CLIP DESIGN

High Quality buckle, Easy to install, More firm.



BRAND DRIVER

Brand driver with safe and reliable quality and 5 years warranty time.

DIMMABLE & TUNABLE OPTIONS

Creating the right ambiance is all about lighting, and some spaces may need to cater to different atmospheres throughout the day. Crisp white light helps us focus and feel awake, while warm light creates an intimate and soothing environment.

With our Spectra Light Range you can change the light ambience right away with a single click.


Single color dimmable Triac /0-10V/ Dali



2700-6000k Tunable 2.4g/dALI DT8/Casambi




AESTHETICALLY PLEASING JENGA SPOTLIGHTS





TECHNICAL INFORMATION

PRODUCT NAME	POWER	DIMENSIONS	ситоит	ССТ
7W JENGA SPOTLIGHT	7-9W	Ф 64ХН87ММ	Ф 55 ММ	1800K - 6500K
12W JENGA SPOTLIGHT	12-15W	Ф 85ХН92ММ	Ф 75 ММ	1800K - 6500K
18W JENGA COB SPOT	18-22W	Ф 85ХН100ММ	Ф 75 ММ	1800K - 6500K













GLORIA LIGHTS.

DESIGNED IN SUCH A WAY

THAT IT CAN BE INSTALLED VERY

EASILY AND SMOOTHLY.



GLORIFY YOUR SPACE WITH OUR GLORIA LIGHT RANGE.









TECHNICAL INFORMATION

PRODUCT NAME	CATEGORY	DIMENSIONS	ситоит	сст
10W LOW HEIGHT GLORIA	СОВ	Ф85ХН65 ММ	Ф 75 ММ	1800K - 6500K
15W LOW HEIGHT GLORIA	СОВ	Ф85ХН90 ММ	Ф 75 ММ	1800K - 6500K
7W GLORIA	СОВ	Ф60ХН73 ММ	Ф50 ММ	1800K - 6500K
12/15W GLORIA	СОВ	12/15W GLORIA	Ф 75 ММ	1800K - 6500K
12W GLORIA TRIM-LESS	СОВ	Ф86ХН104 ММ	Ф 75 ММ	1800K - 6500K
20W GLORIA	СОВ	Ф105ХН119 ММ	Ф 95 ММ	1800K - 6500K
30W GLORIA	СОВ	Ф133Xh145 ММ	Ф120 ММ	1800K - 6500K
AG RING GLORIA MR16 RING	СОВ	Ф 85X85XH46 MM	Ф 80Х80 ММ	1800K - 6500K
AGT RING GLORIA MR16 TRIM-LESS RING	СОВ	Ф 85Х85ХН46 ММ	Ф 80Х80 ММ	1800K - 6500K

PRODIGY LIGHTS





355° ROTATE, 25° TILT



REFLECTOR COLOURS



FAST HEAT DISSIPATION

PRODIGY LIGHTS AND PRODIGY DOUBLE SQUARE LIGHTS OVERVIEW














PRODUCT NAME	CATEGORY	DIMENSIONS	ситоит	сст
7W PRODIGY SPOT	СОВ	Ф65ХН80 ММ	Ф 55 ММ	1800K - 6500K
12W PRODIGY SPOT	СОВ	Ф85ХН85 ММ	Ф 75 ММ	1800K - 6500K
18W PRODIGY SPOT	СОВ	Ф110ХН118 ММ	Ф 95 ММ	1800K - 6500K
2X12W PRODIGY SPOT	СОВ	Ф168Х89ХН90 ММ	Ф 160X75 MM	1800K - 6500K
12W PRODIGY TRIM-LESS	СОВ	Ф 115XH85 MM	Ф 75 ММ	1800K - 6500K
20W PRODIGY TRIM-LESS	СОВ	Ф 142ХН118 ММ	Ф 95 ММ	1800K - 6500K

PRODIGY LIGHTS ADVANTAGES

ADVANTAGE NO.1

Sufficient Heat Sink/Low light

The light don't turn Darker after 1-2 years. The lumen/Brightness keep same as Initial



CUT OUT: 75MM FOR 15W





PRODIGY LIGHTS ADVANTAGES

ADVANTAGE NO.2

High Lumen High CRI


No Flicker /Beautiful Light Effect



ADVANTAGE NO.3

Anti Glare COB is deep inside









Deep Anti-Glare Scientifiic Lighting

Good Anti Glare, Eye Protection, No Dizziness

CHOOSE AS YOU LIKE A VARIETY OF CUSTOM COLOR TEMPERATURES

According to the needs of the environment, reasonable selection of different color temperature lights to create a warm atmosphere.



GET OPTICAL FLEXIBILITY WITH OUR POLO LIGHT RANGE.

More than 90% of the environmental impact of a lighting fixture derives * from its use. Crystal achieves exceptional lighting efficiency values, of up to 155 lm/W, through variable management of the luminous flux. It is precisely through responsible use of light that the environmental impact of a lighting fixture can be significantly reduced. Crystal is also made using materials that are 100% recyclable and, where possible, themselves recycled in optimal percentages, i.e. without affecting performance



TECHNICAL INFORMATION


PRODUCT IMAGE	PRODUCT NAME	CATEGORY	DIMENSIONS	ситоит	ССТ
	12W POLO ZOOM	СОВ	Ф 85ХН7О ММ	Ф 75 ММ	1800K - 6500K
	12W POLO PINHOLE	СОВ	Ф 85ХН57 ММ	Ф 75 ММ	1800K - 6500K
	12W POLO FROST	СОВ	Ф 85XH73mm	Ф 75 ММ	1800K - 6500K
	12W POLO GIMBAL	СОВ	160XH58 MM	Ф 148Х75ММ	1800K - 6500K
	12W POLO SPOT	СОВ	Ф 85ХН57 ММ	Ф 75 ММ	1800K - 6500K
	12W POLO PRO	СОВ	Ф 85ХН73 ММ	Ф 75 ММ	1800K - 6500K

GLAZE LIGHTS. LIGHT AS A FEATHER.




OVERVIEW GLAZE LIGHTS

Our glaze light range can easily project the light on any object or architectural detail as required. Available in two different with three watt variants for every kind of interior concern. It's compact design makes it very easy to installed as well it makes it efficient to illuminate the interior of any environment with high intensity.







LIGHT RANGE

PRODUCT NAME	CATEGORY	DIMENSIONS	ситоит	сст
5W GLAZE	СОВ	Ф35ХН90 ММ	Ф 30 ММ	1800K - 6500K
10W GLAZE	СОВ	Ф44ХН100 ММ	Ф 40 ММ	1800K - 6500K
15W GLAZE	СОВ	Ф55XH115 ММ	Ф 50 ММ	1800K - 6500K



IP65 DUST-PROOF AND WATERPROOF GRADE

This COB downlight features an IP65 waterproof grade, providing robust protection against dust and splashes of water from any direction. While primarily designed for indoor use, it is well-suited for areas where occasional exposure to moisture or dust is expected.


Its durable construction ensures reliable performance, making it an excellent choice for environments requiring enhanced protection without compromising on design or efficiency.

It can withstand the environmental test of bathroom, kitchen, balcony and other easy to be corroded by water mist and oil smoke.



- The lamp body is crafted from precision-engineered aluminium,
 known for its lightweight and durable properties.
- This enhances structural stability and optimizes heat dissipation, ensuring efficient light output while preventing overheating.

• Our patented shape design, the light has good heat dissipation ability.



PRODUCT OVERVIEW:









MATTE BLACK



WHITE & SILVER

SIZE	CUT-OUT SIZE	POWER
53×H65MM	65MM	12W



WATER-PROOF COB LIGHTS OVERVIEW



MODEL NUMBER	CATEGORY	DIMENSIONS	CUTOUT	сст
12W SPLASH IP65 DOWNLIGHT	СОВ	Ф 85ХН55ММ	Ф 75 ММ	1800K - 6500K
20W SPLASH IP65 DOWNLIGHT	СОВ	Ф 105ХН65ММ	Ф 95ММ	1800K - 6500K
30W SPLASH IP65 DOWNLIGHT	СОВ	Ф 130ХН75ММ	Ф 115ММ	1800K - 6500K



UNIQUE DESIGN

Aluminium housing for improved heat dissipation.



TOP QUALITY BODY FINISH

Round and square optional





ADJUSTABLE DESIGN









Product Overview:



MODEL NUMBER	WATT	DIMENSIONS	ситоит
IBSP107CT065	7W	Ф 62х86ММ	Ф 58ММ
IBSP107CT075	10W	Ф 85x102MM	Ф 75ММ
IBSP107CT095	12W	Ф 84x104MM	Ф 75ММ
IBSP107CT120	20W	Ф 110×127ММ	Ф 95ММ
IBSP107CT140	35W	Φ 71x72x110MM	Ф 140ММ
IBSP107SCT070	7W	Ф 100x100x120MM	Ф 65ММ
IBSP107SCT090	12W	Ф 130x130x135MM	Ф 90ММ
IBSP107SCT120	25W	Ф 71x131x110MM	Ф 120ММ
IBSP107SCT120	2X7W	Ф 130х69х91ММ	Φ 65x121MM
IBSP107SCT175	2X12W	Ф 180x91x116MM	Ф 90x175MM
IBSP107SCT230	2X20W	Ф 224x110x142MM	Ф 120x230MM
IBSP107SCT280	2X35W	Ф 72x192x110MM	Ф 140x280MM
IBSP107SCT180	3X7W	Ф 100x192x110MM	Ф 65x182MM
IBSP107SCT260	3X12W	Ф 100x270x120MM	Ф 90х260ММ
IBSP107SCT330	3X25W	Ф 130х345х135ММ	Ф 120x335MM





HIGH-END ALUMINIUM

The preferred material is treated by lacquer treatment. The lamp is corrosion- resistant and durable. It is anodized and is not easy to fade.


HIGH TRANSPARENCY OPTICAL LENS

The high-transmission optical lens has a higher light-emitting rate than the ordinary lens, and can suppress glare and make the light effect work well.



CEILING BASE

Thick aluminum, durable and safe.



performance, can enlarge the details of objects, increase the stereoscopic light, and create a special atmosphere for the scene.

Beam angle: 15° 24° 35°









HIGH LIGHT SOURCE



BRIGHT COLOUR



MULTI-ANGLE ROTATION



MULTICOLOR




SCIENTIFIC LIGHTING











MODEL NUMBER	CATEGORY	DIMENSIONS	ситоит	ССТ
SURFACE COB 1	СОВ	Ф 85ХН55ММ	Ф 55 ММ	1800K - 6500K
SURFACE COB 2	СОВ	Ф 105ХН65ММ	Ф 75ММ	1800K - 6500K
SURFACE COB 3	СОВ	Ф 130ХН75ММ	Ф 75ММ	1800K - 6500K
SURFACE COB 4	СОВ	Ф 130ХН75ММ	Ф 75ММ	1800K - 6500K
SURFACE COB 5	СОВ	Ф 130ХН75ММ	Ф 75ММ	1800K - 6500K



SURFACE CYLINDER LIGHTS

Simple and elegantly designed cylindrical lights with high quality aluminium body, specially designed heatsink for good dissipation to minimize degradation of the lumens.

9.7 INCHES

Application: Household, shops, hotels, cafes, restaurants.



MODEL NUMBER	CATEGORY	POWER	OPTICS	REFLECTOR
IP65 SURFACE CYLINDER SERIES	СОВ	12W, 18W, 25W	GR OPTICS (38°)	GUN-BLACK
IP65 SURFACE CYLINDER SERIES	СОВ	12W, 18W, 25W	GR OPTICS (38°)	GUN-BLACK
IP65 SURFACE CYLINDER SERIES	СОВ	12W, 18W, 25W	GR OPTICS (38°)	GUN-BLACK
IP65 SURFACE CYLINDER SERIES	СОВ	12W, 18W, 25W	GR OPTICS (38°)	GUN-BLACK
IP65 SURFACE CYLINDER SERIES	СОВ	12W, 18W, 25W	GR OPTICS (38°)	GUN-BLACK


REFLECTOR

Multiple color for choosing



WATERPROOF LENS

Light transmittance upto 95%





PRODUCT ANALYSIS






Anti glare design



Customizable reflector colour





Adjustable Angle



COB light source



Aluminium radiator has fast heat dissipation

CANQUA

CLICK SERIES

- 1. Application: Residence, Office, Museum, Gallery, Retail Store, Showroom.
- 2. Strong ODM & OEM abilities.
- 3. Patented design offered.
- 4. Two years of warranty.
- 5. Experienced QC system, professional R&D experts.
































PRODUCT OVERVIEW



MZ-F-1



MZ-F-2



MZ-F-4



MZ-E-1



MZ-E-1



MZ-E-1



MZ-E-1



MZ-E-1



MZ-E-1

MODEL NUMBER	SIZE [MM]	CUT HOLE	MATERIAL
MZ-F-1	64x64x55.5	55x55mm	ALUMINIUM+POM
MZ-F-2	108.5x64x55.5	100x55mm	ALUMINIUM+POM
MZ-F-4	153x64x55.5	144x55mm	ALUMINIUM+POM
MZ-E-1	197.5x64x55.5	189x55mm	ALUMINIUM+POM
MZ-E-2	88x88x55.5	189x55mm	ALUMINIUM+POM
MZ-E-3	132.5x88x55.5	63x63mm	ALUMINIUM+POM
MZ-E-4	221.5x88x55.5	110x63mm	ALUMINIUM+POM
MZ-C	44.3x44.3x55	198x63mm	PC

PRODUCT OVERVIEW




















MODEL NUMBER	SIZE [MM]	WATT	CRI	BEAM ANGLE
MZ-A	44.3X44.3X63	5W	RA≥90	24°/36°/50°
MZ-GD	44.3X44.3X119	5W	RA≥90	24°/36°/50°
MZ-WW	44.3X44.3X80.3	5W	RA≥90	24°/36°/50°
MZ-R-Z	44.3X44.3X62.5	5W	RA≥90	24°/36°/50°
MZ-S-Z	44.3X44.3X62.5	5W	RA≥90	24°/36°/50°
MZ-R-X	44.3X44.3X62.5	5W	RA≥90	24°/36°/50°
MZ-S-X	44.3X44.3X62.5	5W	RA≥90	24°/36°/50°
MZ-R-A	44.3X44.3X55	5W	RA≥90	24°/36°/50°
MZ-S-A	44.3X44.3X55	5W	RA≥90	24°/36°/50°
MZ-XZ-2	88.3X443X55	2*4W	RA≥90	24°/36°/50°
MZ-XZ-4	177.8x44.3x55	4*4 w	RA≥90	24°/36°/50°



YOUR ONE-STOP DESTINATION FOR WHOLE HOUSE MAGNETIC LIGHTS.





LIGHT DIFFERENTIATION AND CCT INFORMATION BELOW:









RECESSED MAGNETIC LIGHTS


RECESSED GYPSUM BOARD TRACK RAIL


- Embedded together before pouring the concrete.
- Thickened aluminium guide rail.
- Good heat dissipation.


INSTALLATION REQUIREMENTS

- The ceiling depth must be higher than 5.5cm.
- The fixed plate must be able to bear a heavy burden.









MAGNETIC FLOOD LIGHT



MAGNETIC TRACK LIGHT

Spotlight light source, multi-angle adjustable and precise lighting, used or wall washing lighting, various lamp holders are equipped with honeycomb anti-glare translucent cover, effectively anti-glare.





360° HORIZONTAL ROTATION/ 90° ANGLE ADJUSTMENT UP AND DOWN

MAGNETIC FOLDING GRILLE LIGHT

SPOTLIGHT, FASHION, MUYLI-ANGLE ADJUSTABLE, SUITABLE FOR ACCENT LIGHTING





Horizontal 180° adjustable




MAGNETIC GRILLE LIGHT

SPOTLIGHT, ANTI-GLARE CUP, BASE LIGHTING AND ACCENT LIGHTING CAN BE APPLIED







INSTALLATION GUIDE:




Cut holes in the fixing (35-40mm). Then insert the track into the hole slot.



Tighten the rails on the edge.
Secure with screws to ensure firmness.



Gypsum outer board (10.5MM) covered under the track Fixing gypsum outer panels with self-acting screws.



Plaster 2-3 times until the gap between the gypsum board and the guide rail is completely covered.

ACCESSORIES LIST WITH SPECIFICATIONS



48V EXTERNAL POWER SUPPLY



FOLDABLE CORNER CONDUCTIVE MODULE

Corner Vientiane Connection

Used to energize the two conductor rails at the corners



LINK CONDUCTIVE MODULE

Direct Energization

For energizing two linear guides to each other



RECESSED GYPSUM BOARD CORNER

For right-angle splicing of two rails at the same level



RECESSED GYPSUM BOARD 90° VERTICAL CORNER (IN)




SURFACE ULTRA THIN LIGHTS



ULTRA THIN MAGNET LIGHT SYSTEM

Built-in power supply






integration

MOVE AS YOU WISH











Strong Magnetic Sucker




Move As You Wish



lighting revolution

The ultrathin channel of the track provides a sleek, modern look that seamlessly integrates into any space, offering a clean and unobtrusive design. The ultrathin design of the track minimizes visual clutter and takes up less physical space, making it an ideal solution for rooms with limited ceiling height or where space is at a premium. Ultrathin tracks can be discreetly integrated into architectural features, providing seamless and unobtrusive lighting solutions that enhance the overall design of a space.

INSTALLATION GUIDE



CANOUA



The ceiling can be seamlessly joined with the wall.





Equipped with a cable box, the power cables are not exposed. Not only beautiful dust proof more safe and reliable.



The power cable connection module is safe and convenient.

SURFACE ULTRATHIN MAGNETIC LIGHTS



BUILD A CHIC AND COMFORTABLE SPACE WITH OUR SURFACE ULTRA THIN LIGHT RANGE.



MS305-LSA10

MS305-TL07

PRODUCT NAME	BEAM ANGLE	DIMENSIONS	WATT	ССТ
MS305-DF12	105°	Ф 300Х32Х11ММ	12W	1800K - 6500K
MS305-LG10	30°	Ф 140Х30Х105ММ	10W	1800K - 6500K
MS305-LSA10	30°	Ф 140Х30Х105ММ	10W	1800K - 6500K
MS305-TL07	24°	Ф 30Х145ММ	7W	1800K - 6500K





PRODUCT NAME	BEAM ANGLE	DIMENSIONS	WATT	сст
MS30-DR54	24°	Ф 54Х75ММ	7W	1800K - 6500K
MS30-DR54R	24°	Ф 54Х63Х98ММ	6W	1800K - 6500K





PRODUCT NAME	BEAM ANGLE	DIMENSIONS	WATT	сст
MS30-SP1	30°	Ф 54Х75ММ	5W	1800K - 6500K
MS30-SA1	160°	Ф 55Х55Х75ММ	4W	1800K - 6500K


SURFACE ULTRA-THIN LIGHTS ACCESSORIES:




MS30




MS30-SP200 POWER SUPPLY




LT CROSS MODULE BODY PINK




MS30L TYPE MODULE




MS30T TYPE MODULE



MS30 CROSS MODULE



MS30 PASS THROUGH MODULE



MS30 90° MODULE



LT CROSS MODULE BODY

FACADE HIGHLIGHTERS



WATERPROOF OUTDOOR



HIGH LIGHT EFFICIENCY



HEAT DISSIPATED QUICKLY



LONG SERVICE LIFE











HIGH COLOUR RENDERING



LOW ENERGY CONSUMPTION



SCIENTIFIC HEAT DISSIPATION



FIVE YEAR WARRANTY

ACCESSORIES LIST:



25CM HEIGHT SPIKE



OPTICAL HOOD




ANTIGLARE NET



30CM LENGTH WATERPROOF CONNECTOR



IP65 WATERPROOF CONNECTOR



Signal Wire:

A:Red Color; B: Green Color;

GND: Black Color



SQUARE PROJECTION LAMPS OVERVIEW



DETAILS:

PRODUCT: SQUARE PROJECTION LAMP

POWER: 4W

VOLTAGE: AC220V

MATERIAL: HIGH QUALITY ALUMINIUM

SIZE: 6.5X7.5X10MM

PROTECTION GRADE: IP65 (NO PONDING)

MODEL NUMBER	CATEGORY	DIMENSIONS	CUTOUT	ССТ
4W BUSH HIGHLIGHTER	СОВ	Φ 65X75X100 MM	Ф 55 ММ	1800K - 6500K
7W BUSH HIGHLIGHTER	СОВ	Ф 55X66x172 MM	Ф 75ММ	1800K - 6500K



GLAM UP YOUR SPACE WITH CANQUA'S WARDROBE STRIPS

Our flexible wardrobe profile cum strips provide a versatile solution to add depth to your wardrobe. Particularly effective along plinths, shelving and for highlighting architectural alcoves, recesses and your showpieces.



Premium Finish.

PRODUCT FEATURES:

- Indirect linear lighting for your wardrobe.
- Recessed installation in wooden panel.
- Customizable length as per requirement.
- Finish: Silver, Black.




















All our strips are certified and guaranteed for 3 years. The company is ISO 9001 certified. The materials and components used, for the construction of our products are of highest quality.


WHY CHOOSE OUR LED STRIPS?

Our LED Strips have been designed to deliver superior performance in advanced lighting designs. Created to guarantee high efficiency and performance of the highest level, selected LEDs instead allow true colour accuracy with a high Colour Rendering Index, ideal when the highest quality of light is required. Our LED Strips guarantees high flexibility and better thermal and electrical conductivity, A collection suitable for versatile and efficient installation solutions, designed to create welcoming atmospheres or emphasise architectural details without compromising the budget.

PRODUCT DETAILS:








MODEL NUMBER	SIZE [MM]	VOLTAGE	METERS	ССТ
SMD 2835	120 LED/M	12V / 24V	5M	3000K, 4000K
SMD2835 MONO	140 LED/M	24V	20M	3000K, 4000K
SMD2835 MONO 2	180 LED/M	24V	10M	3000K, 4000K


APPLICATIONS:













PRODUCT DETAILS:

MODEL NUMBER	VOLTAGE	DIMENSIONS	WATT/M	TYPE	сст
CANQ-220V-NEON	220V	12x8 MM	10W	Front Bend	3000K - 6500K
CANQ-24V-NEON	24V	10x10 MM	7.5W	Front Bend	3000K - 6500K
CANQ-24V-NEON-12	24V	12x12 MM	7.5W	Front Bend	3000K - 6500K
CANQ-24V-NEON-15	24V	15x10 MM	7.5W	Front Bend	3000K - 6500K
CANQ-24V-NEON-16	24V	16x16 MM	7.5W	Front Bend	3000K - 6500K
CANQ-24V-NEON-20	24V	20x14 MM	7.5W	Front Bend	3000K - 6500K

SILICON NEON TUBES RECESSED DETAILS:





Model:

CAN-SILICON-SF-FB-0808a

Size: Lx8x8mm PCB: 5mm





Model:

CAN-SILICON-SF-FB-1010A

Size: Lx10x10mm PCB: 5-8mm





Model:

CAN-SILICON-SF-FB-1210A

Size: Lx12x10mm PCB: 5-8mm





Model:

CAN-SILICON-SF-FB-1510A

Size: Lx15x10mm PCB: 8-12mm





Model:

CAN-SILICON-SF-FB-1616A

Size: Lx16x16mm PCB: 8-12mm






Model:

CAN-SILICON-SF-FB-1010A

Size: Lx20x10mm PCB: 8-12mm






Model:

CAN-SILICON-SF-FB-2510A

Size: Lx25x10mm PCB: 8-10mm x 2





Model:

CAN-SILICON-SF-FB-3020A

Size: Lx30x20mm PCB: 8X12mm X 2





Model:

CAN-SILICON-SF-FB-5020A

Size: Lx50x20mm PCB: 8-10mm x 2

FEATURES:

- Anti-yellowing and heat resisting silicone, chemical resistance acid and alkaline, longer life span.
- Pure silicone material, more flexible than ordinary neon tube, quicker heat dissipation.
- Uniform and soft luminance, no light spot.
- New design with recessed mounting, no need to thread light strip into neon tube,
 easy installation and replacement of light strips.

SILICON NEON TUBES SURFACE DETAILS:





Model:

CAN-SILICON-SF-FB-0808A

Size: Lx8x8mm PCB: 5mm





Model:

CAN-SILICON-SF-FB-1010A

Size: Lx10x10mm PCB: 6mm





Model:

CAN-SILICON-SF-FB-1212A

Size: Lx12x12mm PCB: 8mm





Model:

CAN-SILICON-SF-FB-1510A

Size: Lx15x10mm PCB: 10mm





Model:

CAN-SILICON-SF-FB-1616A

Size: Lx16x16mm PCB: 10mm





Model:

CAN-SILICON-SF-FB-2010A

Size: Lx20x10mm PCB: 12mm





Model:

CAN-SILICON-SF-FB-2020A

Size: Lx20x20mm

PCB: 12mm






Model:

CAN-SILICON-SF-FB-3020A

Size: Lx30x20mm

PCB: 2mm





Model:

CAN-SILICON-SF-FB-5020A

Size: Lx50x20mm PCB: 8-10mm x 2






Model:

CAN-SILICON-SF-RD-16

Size: Lx16 φ PCB: 6mm



Tailor-made Lighting: Precision Cuts For Unique Projects.

Canqua introduces a new custom cutting service dedicated to the LED Profiles from the custom light section, designed to offer highly customized lighting solutions, perfectly calibrated for every design need. Customization becomes simple: after choosing the profile model, diffuser, and ideal length, Each fixture is made with quality materials and technologies, ensuring extraordinary lighting performance and maximum installation versatility.



1. Select the profile and accessories



2. Select the strip



3. Specify the dimensions and cable position



4. The fixture is ready for installation

Why choose the custom service?

- Maximum customization and adaptability for any type of project.
- Tailor-made, complete, and ready-to-use fixtures.
- Reduced costs and faster installation.
- Enhanced aesthetics for the interior.
- Improved functionality & efficiency.



ACCESSORIES:

LED STRIP CONNECTORS



WHAT IS LED STRIP LED CONNECTORS?

LED strip connectors are small devices used to connect two or more sections of LED strip lights together, allowing them to be joined and extended as needed, These connectors typically consist of a male and female connector, which can be inserted into the ends of two separate LED strip lights, creating a secure electrical connection between them.

LED strip connectors come in various types, including solder-less connectors, which are easy to install and remove, and soldered connectors, which are more permanent. They are also available in different pin configurations, such as 2-pin, 3-pin, 4-pin, and 5-pin connectors, depending on the specific LED strip light being used.

Overall, LED strip connectors are essentials components for creating customized and versatile LED lighting installations, allowing users to join, extend, and configure LED strip lights to suit their specific, needs and preferences.

SOLDER-LESS CONNECTION

LED connectors eliminate the need for soldering, providing a simple, easy-to-use solution for connecting strips.

VARIETY OF CONNECTORS

Available in multiple configurations, including straight connectors, corner connectors, T-connectors, and Y-connectors, allowing for versatile use in different lighting setups.

WIDE COMPATIBILITY

Designed to fit various LED strips, such as single-colour, RGB, RGBW, and RGB CCT strips, ensuring compatibility with a range of lighting systems.

PRODUCT DETAILS:



001

LM-2PIN-L-TYPE

2-Pins

L Type

8mm/10mm



002

LM-2PIN-STS

2-Pins

Strip to Strip

8mm/10mm



003

LM-2PIN-T-TYPE

2-Pins

T Type

8mm/10mm



004

LM-2PIN-L-TYPE

2-Pins

L Type

8mm/10mm



005

LM-2PIN-STS

2-Pins

L Type

8mm/10mm




006

LM-2PIN-STC


2-Pins

Strip to Cable


10_{mm}

















PRODUCT DETAILS:

Harvey Series recessed lights for office and home lighting. With extremely simple design and excellent craftwork, exquisite appearance looks with rich of texture. Collocated with micro reflector and anti-glare cover. UGR value is as low as 18, lamp is easy for installation and maintenance.

MODEL NUMBER	VOLTAGE	DIMENSIONS	WATT	TYPE	ССТ
HARVEY-10W	240V	150x43x44 MM	10W	Recessed	3000K - 5000K

CANQUA

CANQUA: THE FUTURE OF LIGHTING IS HERE.

Canqua is synonymous of leadership in quality and reliability. We, at Canqua, offers a variety of lighting solutions that look after both the retail and industrial needs. We offer the latest and finest technology based products. Leading the indian home based lighting, we intend to enhance the spaces by providing the illuminating experience to our customers. Always at the forefront of the latest technology, we propagate environment friendly philosophy, wherin the Canqua products are the best in class and environment friendly lighting solutions.

HOW TO REACH US

9729070700



support@canquaindia.com



info.canquaindia@gmail.com



http://www.canquaindia.com/

OFFICE ADDRESS

Canqua Lighting Private Limited

Ground and 1st Floor,

Plot No-135, Canqua Lighting Private limited

Sector-57 Phase-IV, HSIIDC, Industrial Area.

Sonipat, Haryana - 131028 (GST:

06AASCS0170J1Z4)

OUR PRODUCTS ARE:



LONG LASTING



ENERGY SAVING



COST SAVING



LOW MAINTAINENCE



MERCURY FREE



QUALITY SERVICE