


BAMBOO PULLOUT LIGHTS

UNIQUE DESIGN

Aluminium housing for improved heat dissipation.



TOP QUALITY BODY FINISH

Round and square optional



ADJUSTABLE DESIGN



Up and down retractable

350°



50°



COB


CREE

bridgelux



LENS

Beam Angles



15°

24°

38°

60°

Product Overview:



MODEL NUMBER	WATT	DIMENSIONS	CUTOUT
IBSP107CT065	7W	Φ 62x86MM	Φ 58MM
IBSP107CT075	10W	Φ 85x102MM	Φ 75MM
IBSP107CT095	12W	Φ 84x104MM	Φ 75MM
IBSP107CT120	20W	Φ 110x127MM	Φ 95MM
IBSP107CT140	35W	Φ 71x72x110MM	Φ 140MM
IBSP107SCT070	7W	Φ 100x100x120MM	Φ 65MM
IBSP107SCT090	12W	Φ 130x130x135MM	Φ 90MM
IBSP107SCT120	25W	Φ 71x131x110MM	Φ 120MM
IBSP107SCT120	2X7W	Φ 130x69x91MM	Φ 65x121MM
IBSP107SCT175	2X12W	Φ 180x91x116MM	Φ 90x175MM
IBSP107SCT230	2X20W	Φ 224x110x142MM	Φ 120x230MM
IBSP107SCT280	2X35W	Φ 72x192x110MM	Φ 140x280MM
IBSP107SCT180	3X7W	Φ 100x192x110MM	Φ 65x182MM
IBSP107SCT260	3X12W	Φ 100x270x120MM	Φ 90x260MM
IBSP107SCT330	3X25W	Φ 130x345x135MM	Φ 120x335MM